10/7/8864 (1631)



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/718,864	11/21/2003	Jeffery A. Ismail		1365	
7590 07/19/2006			EXAMINER		
JEFFERY A. ISMAIL			PHAN, HAU VAN		
P.O. BOX 7785			ART UNIT	PAPER NUMBER	
AUBURN, CA 95604			3618	TALER NOMBER	
		3016			

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

the drawings and the Brief Description of the Drawings in the specification.

Figure 28 is listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figure ____ is contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

The drawings filed 11/21/2003 have been received. However, an inconsistency exists between

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer,** from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division Customer Service: 571-272-4200 1-888-786-0101

FORM PTO-1631 (REV. 10-03)